

Monroe			
Name	Description	Qty	Units
Ground Floor			
2 1/2 x 104 5/8"	Metal Stud	42	EA
4x8 x 5/8" Gypsum Board	Dry wall	56	EA
GWB-Paint@10'-3" - 1 Side	Paint	1674.13	SF
CMU/Concrete-Paint@10'-3" - 1 Side	Paint	2630.15	SF
Door G01A(ALUM),Frame(ALUM) 3'x	Door Count	1	EA
Door G01B (ALUM),Frame(ALUM) 3'x7'	Door Count	1	EA
Door G03(HM),Frame(HM) 3'x7'	Door Count	1	EA
Door G02 (ALUM),Frame(ALUM) 3'x	Door Count	1	EA
Door G04A(ALUM),Frame(ALUM) 3'x	Door Count	1	EA
Door G04B(HM),Frame(ALUM) 13'x8'	Door Count	1	EA
Second Floor			
10' x 125 Tyvek Commercial House Wrap	10' x 125 Tyvek Commercial House Wrap	1	EA
2" x 165' Tyvek Seam Tape	2" x 165' Tyvek Seam Tape	1	EA
4x8 x 7/16" OSB Sheathing	4x8 x 1/2" Plywood Sheathing	30	EA
4x8 x 7/16" OSB Sheathing	4x8 x 7/16" OSB Sheathing	1	EA
5/8" Dia x 6" Simpson Anchor Bolt	5/8" Dia x 6" Through Simpson Anchor Bolt @ 24"	48	EA
5/8" Dia Hilti HY-150 Anchor w/6" Embeement	Anchor	5	EA
Beam Filler (Sheet Stock)	Beam Filler (Sheet Stock)	1	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Blocking	15	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Blocking	13	EA
(2)-5/8" Dia THRU-BOLTS TO STUD	Bolt	10	EA
2x6 x 16' #2&Btr S-P-F, S-Dry, MCQ	Bottom Plate	12	EA
2x6 x 16' #2&Btr PT SYP, MCQ	Bottom Plate	9	EA
2x4 x 16' #2&Btr PT SYP, MCQ	Bottom Plate	12	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bottom Plate	2	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bracing	17	EA
Building Wrap (Sheathing Sub Assembly)	Building Wrap (Sheathing Sub Assembly)	1	EA
Building Wrap Tape	Building Wrap Tape	1	EA
Geocel 3300 Professional Grade Polyurethane Sealant 10 oz. White	Caulk	5	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Double Top Plates	6	EA
4x8 x 5/8" Fire Resistant Gypsum Board	Dry Wall	113	EA
4x8 x 5/8" Gypsum Board	Dry Wall	311	EA
4x8 x 5/8" Type X Fire Resistant Gypsum Board	Dry Wall	140	EA
Exterior Shear Wall-2-2x6x103 SPF @ 16.0 O.C.-PT Plate-7/16 OSB	Exterior Shear	95.18	EA
(2)-2x6 x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	1	EA
2-2x10x16' Header	Header-Dimensioned Lumber	1	EA
5 1/4" x 7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	3	EA
5 1/4" X 7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	2	EA
HD2A Simpson Hardware	Holdown	5	EA
2 1/2 x 104 5/8"	Metal Studs	256	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Safety Brace	3	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Sill	11	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Sill	8	EA
6" x 50' x 1/4" Foam Sill Sealer	Sill Sealer	2	EA
2x6 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	305	EA
2x4 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	240	EA
2x4 x 88" #2&Btr S-P-F, S-Dry	Studs	12	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Studs	48	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Studs	60	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Top Plates	24	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Top Plates	25	EA
EZ-Flash 12" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Inner	5	EA
EZ-Flash 6" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Outer (Flange)	5	EA
GWB-Paint@8'-6" - 1 Side	Paint	2627.95	SF
GWB-Paint@8'-6" - Both Side	Paint	4047.87	SF
GWB-Paint@8'-0" - 1 Side	Paint	130.16	SF
GWB-Paint@1'-0" - 1 Side	Paint	11.27	SF
CMU-Paint@8'-6" - 1 Side	Paint	1707.57	SF
Interior Bearing Door Count (WD), Frame(WD) 3'x7'	Door Count	1	EA
Interior Bearing Door Count 36"	Door Count	1	EA
Non-Bearing Door Count (WD), Frame (WD) 3'x7'	Door Count	10	EA
Non-Bearing Door Count (WD), Frame(WD) (2) 2'-6"x7'	Door Count	2	EA
Non-Bearing Door Count (WD), Frame (WD) (2) 2'x7'	Door Count	2	EA
Non-Bearing Door Count (HM), Frame(HM) 3'x7'	Door Count	1	EA
Door(HM),Frame(HM) 3'x7'	Door Count	5	EA
Window Count 74"	Window Count	2	EA
Window Count 70"	Window Count	3	EA
Window Count 72"	Window Count	4	EA
Third Floor			
10' x 125 Tyvek Commercial House Wrap	10' x 125 Tyvek Commercial House Wrap	1	EA
2" x 165' Tyvek Seam Tape	2" x 165' Tyvek Seam Tape	1	EA
4x8 x 7/16" OSB Sheathing	4x8 x 7/16" OSB Sheathing	31	EA
5/8" Dia Hilti HY-150 Anchor w/6" Embeement	Anchor	9	EA
Beam Filler (Sheet Stock)	Beam Filler (Sheet Stock)	1	EA

2x6 x 16' #2&Btr S-P-F, S-Dry	Blocking	17	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Blocking	15	EA
(2)-5/8" Dia THRU-BOLTS TO STUD	Bolt	18	EA
2x6 x 16' #2&Btr S-P-F, S-Dry, MCQ	Bottom Plate	12	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Bottom Plate	11	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bottom Plate	17	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bracing	20	EA
Building Wrap (Sheathing Sub Assembly)	Building Wrap (Sheathing Sub Assembly)	1	EA
Building Wrap Tape	Building Wrap Tape	1	EA
Geocel 3300 Professional Grade Polyurethane Sealant 10 oz. White	Caulk	5	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Double Top Plates	6	EA
4x8 x 5/8" Fire Resistant Gypsum Board	Dry Wall	163	EA
4x8 x 5/8" Gypsum Board	Dry Wall	305	EA
4x8 x 5/8" Type X Fire Resistant Gypsum Board	Dry Wall	100	EA
(2)-2x6 x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	3	EA
1 3/4" x 7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	6	EA
1 3/4"x7 1/2" 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	2	EA
1 3/4"x7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	3	EA
HD2A Simpson Hardware	Holdown	9	EA
2 1/2 x 104 5/8"	Metal Studs	115	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Safety Brace	3	EA
4x8 x 7/16" OSB Sheathing	Sheathing	25	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Sill	12	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Sill	6	EA
LTP4. @6' o.c	Simpson LTP4	16	EA
MSTA18x18 GA. @6' o.c	Simpson Strap	23	EA
2x6 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	357	EA
2x4 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	292	EA
2x4 x 88" #2&Btr S-P-F, S-Dry	Studs	16	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Studs	64	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Studs	52	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Top Plates	28	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Top Plates	28	EA
EZ-Flash 12" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Inner	5	EA
EZ-Flash 6" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Outer (Flange)	5	EA
GWB-Paint@8'-6" - 1 Side	Paint	4454.85	SF
GWB-Paint@8'-6" - both Side	Paint	3879.74	SF
GWB-Paint@8'-0" - 1 Side	Paint	679.52	SF
GWB-Paint@1'-0" - 1 Side	Paint	55.53	SF
CMU-Paint@8'-6"	Paint	420.15	SF
Interior Bearing Door Count (WD), Frame(WD) 3'x7'	Door Count	5	EA
Non-Bearing Door Count (WD), Frame(WD) (2) 2'-6"x7'	Door Count	3	EA
Non-Bearing Door Count (WD), Frame (WD) 3'X7'	Door Count	10	EA
Non-Bearing Door Count (HM), Frame(HM) 3'x7'	Door Count	2	EA
Door(HM),Frame(HM) 3'x7'	Door Count	3	EA
Window Count 72"	Window Count	4	EA
Window Count 74"	Window Count	3	EA
Window Count 76"	Window Count	2	EA
Fourth Floor			
10' x 125 Tyvek Commercial House Wrap	10' x 125 Tyvek Commercial House Wrap	1	EA
2" x 165' Tyvek Seam Tape	2" x 165' Tyvek Seam Tape	1	EA
4x8 x 7/16" OSB Sheathing	4x8 x 7/16" OSB Sheathing	31	EA
5/8" Dia Hilti HY-150 Anchor w/6" Embedment	Anchor	9	EA
Beam Filler (Sheet Stock)	Beam Filler (Sheet Stock)	1	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Blocking	17	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Blocking	15	EA
(2)-5/8" Dia THRU-BOLTS TO STUD	Bolt	18	EA
2x6 x 16' #2&Btr S-P-F, S-Dry, MCQ	Bottom Plate	12	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Bottom Plate	11	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bottom Plate	17	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bracing	20	EA
Building Wrap (Sheathing Sub Assembly)	Building Wrap (Sheathing Sub Assembly)	1	EA
Building Wrap Tape	Building Wrap Tape	1	EA
Geocel 3300 Professional Grade Polyurethane Sealant 10 oz. White	Caulk	5	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Double Top Plates	6	EA
4x8 x 5/8" Fire Resistant Gypsum Board	Dry Wall	163	EA
4x8 x 5/8" Gypsum Board	Dry Wall	305	EA
4x8 x 5/8" Type X Fire Resistant Gypsum Board	Dry Wall	100	EA
(2)-2x6 x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	3	EA
1 3/4" x 7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	6	EA
1 3/4"x7 1/2" 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	2	EA
1 3/4"x7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	3	EA
HD2A Simpson Hardware	Holdown	9	EA
2 1/2 x 104 5/8"	Metal Studs	115	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Safety Brace	3	EA
4x8 x 7/16" OSB Sheathing	Sheathing	25	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Sill	12	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Sill	6	EA
LTP4. @6' o.c	Simpson LTP4	16	EA
MSTA18x18 GA. @6' o.c	Simpson Strap	23	EA

2x6 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	357	EA
2x4 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	292	EA
2x4 x 88" #2&Btr S-P-F, S-Dry	Studs	16	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Studs	64	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Studs	52	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Top Plates	28	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Top Plates	28	EA
EZ-Flash 12" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Inner	5	EA
EZ-Flash 6" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Outer (Flange)	5	EA
GWB-Paint@8'-6" - 1 Side	Paint	4454.85	SF
GWB-Paint@8'-6" - both Side	Paint	3879.74	SF
GWB-Paint@8'-0" - 1 Side	Paint	679.52	SF
GWB-Paint@1'-0" - 1 Side	Paint	55.53	SF
CMU-Paint@8'-6"	Paint	420.15	SF
Interior Bearing Door Count (WD), Frame(WD) 3'x7'	Door Count	5	EA
Non-Bearing Door Count (WD), Frame(WD) (2) 2'-6"x7'	Door Count	3	EA
Non-Bearing Door Count (WD), Frame (WD) 3'X7'	Door Count	10	EA
Non-Bearing Door Count (HM), Frame(HM) 3'x7'	Door Count	2	EA
Door(HM),Frame(HM) 3'x7'	Door Count	3	EA
Window Count 72"	Window Count	4	EA
Window Count 74"	Window Count	3	EA
Window Count 76"	Window Count	2	EA
Fifth Floor			
10' x 125 Tyvek Commercial House Wrap	10' x 125 Tyvek Commercial House Wrap	1	EA
2" x 165' Tyvek Seam Tape	2" x 165' Tyvek Seam Tape	1	EA
4x8 x 7/16" OSB Sheathing	4x8 x 7/16" OSB Sheathing	1	EA
4x8 x 7/16" OSB Sheathing	4x8 x 7/16" OSB Rated Sheathing	5	EA
5/8" Dia Hilti HY-150 Anchor w/6" Embeement	Anchor	5	EA
Beam Filler (Sheet Stock)	Beam Filler (Sheet Stock)	6	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Blocking	12	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Blocking	18	EA
(2)-5/8" Dia THRU-BOLTS TO STUD	Bolt	10	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bottom Plate	13	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Bottom Plate	24	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Bracing	18	EA
Building Wrap (Sheathing Sub Assembly)	Building Wrap (Sheathing Sub Assembly)	1	EA
Building Wrap Tape	Building Wrap Tape	1	EA
Geocel 3300 Professional Grade Polyurethane Sealant 10 oz. White	Caulk	5	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Double Top Plates	6	EA
4x8 x 5/8" Fire Resistant Gypsum Board	Dry Wall	213	EA
4x8 x 5/8" Gypsum Board	Dry Wall	277	EA
4x8 x 5/8" Type X Fire Resistant Gypsum Board	Dry Wall	50	EA
(2)-2x6 x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	1	EA
1 3/4" x 7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	3	EA
1 3/4" X 7 1/2"x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	5	EA
1 3/4"x 7 1/2" x 16' #2&Btr S-P-F, S-Dry	Header-Dimensioned Lumber	6	EA
HD2A Simpson Hardware	Holdown	5	EA
2 1/2 x 104 5/8"	Metal Studs	130	EA
CMU-Paint@8'-6"	Paint	423.13	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Safety Brace	3	EA
4x8 x 7/16" OSB Sheathing	Sheathing	30	EA
Sheathing	Sheathing	30	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Sill	8	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Sill	11	EA
LTP4. @6' o.c	Simpson LTP4	16	EA
MSTA18x18 GA. @6' o.c	Simpson Strap	19	EA
2x4 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	215	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Studs	52	EA
2x4 x 88" #2&Btr S-P-F, S-Dry	Studs	12	EA
2x6 x 104 5/8" #2&Btr S-P-F, S-Dry	Studs	354	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Studs	78	EA
2x4 x 16' #2&Btr S-P-F, S-Dry	Top Plates	23	EA
2x6 x 16' #2&Btr S-P-F, S-Dry	Top Plates	30	EA
EZ-Flash 12" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Inner	5	EA
EZ-Flash 6" x 100' Carlisle WIP Self-Adhering Flashing for Windows, Doors, Decks, etc.	Window Flashing-Outer (Flange)	5	EA
GWB-Paint@1' - 1 Side	Paint	18.11	SF
GWB-Paint@8' - 1 Side	Paint	561.92	SF
GWB-Paint@8' - Both Side	Paint	101.76	SF
GWB-Paint@8'-6" - Both Side	Paint	3184.95	SF
GWB-Paint@8'-6"-1 Side	Paint	3102.24	SF
Door(HM),Frame(HM) 3'x7'	Door Count	2	EA
Non-Bearing Door Count (WD), Frame (WD) (2) 2'x7'	Door Count	4	EA
Non-Bearing Door Count (WD), Frame(WD) (2) 2'-6"x7'	Door Count	2	EA
Non-Bearing Door Count (WD), Frame (WD) 3'X7'	Door Count	6	EA
Non-Bearing Door Count (WD), Frame (WD) 3'X7' (6")	Door Count	2	EA
Non-Bearing Door Count (WD),Frame (WD) 2'-6"x7'	Door Count	1	EA
Interior Bearing Door Count (WD), Frame(WD) 3'x7'	Door Count	2	EA
Window Count 72"	Window Count	4	EA

[illegible]